



**GOVERNMENT OF INDIA  
CENTRAL WATER COMMISSION  
OFFICE OF THE EXECUTIVE ENGINEER  
MAHANADI DIVISION, DOCTOR'S COLONY,  
BURLA – 768017, SAMBALPUR (ORISSA)  
email:eemdcwcburla@yahoo.co.in**

No. MD/HQ/Quotation-2/2010-11/1054-60

Dated. 19/02/2011

**NOTICE INVITING QUOTATION**

For and on behalf of the President of India, the Executive Engineer, Mahanadi Division, Central Water Commission, Burla invites the sealed quotations for the supply of following items from the reputed firms as per the terms and conditions mentioned below **up to 3.00 P.M. on 4.3.2011 and the** quotations will be opened on the same day at **3.30 P.M.** in the presence of representatives of the firms if any.

S.No.	Particulars of items	Tentative Quantity	Rate	Amount
1	Conductivity Meter (Table Model) Specification as per enclosed Annexure	3 Nos.		
2.	PH Mete Pro ( Reference Electrode)	10 Nos.		

**TERMS AND CONDITIONS:**

- 1 The sealed envelope containing the quotation should be super-scribed as **“Quotation for supply of Conductivity Meter”** and addressed to the Executive Engineer, Mahanadi Division, Central Water Commission, Doctor's Colony, Burla-Sambalpur – 768017.
- 2 All duties, taxes (except sales tax and octroi) and other levies payable by the supplier/contractor under the contract shall be included in the total price. Octroi exemption certificate, if necessary, will be issued by this office. The sales tax if any may be indicated separately in the quotation, as this will not be considered for comparison of quotations. .
- 3 The rate should be indicated in both figures and words. Corrections/ overwriting if any in the quotation shall be made by initialing, dating and re-writing.
- 4 The price quoted shall be inclusive of transportation and **FOR BURLA**. Any damage occurred during transit should be borne by the agency itself.
- 5 The purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which are properly signed; and conform to the terms and conditions and specifications.
- 6 Make and Model number of the item proposed to be supplied must be mentioned in the quotation along with any variations in specifications with respect to specifications mentioned in quotation, if any.
- 7 **TIN/TAN number of the firm must be mentioned on the quotation of the firm.**
- 8 **The delivery shall have to be made within 30 days from the date of issue of supply order.**

- 9 Normally, the lowest rates quoted will be accepted but the undersigned reserves the right to reject any or all the quotations without assigning any reasons.
- 10 Any dispute arising in this supply will be referred to Superintending Engineer, Hydrological Observation Circle, Central Water Commission, Bhubaneswar and his decision will be final and binding on both the parties.
- 11 Technical specifications and pamphlets may be submitted with the quotation.
- 12 Guarantee/Warranty is one year from the date of successful installation**
- 13 The full and final payment will be made within 20 days after full supply or pre-receipted bills in triplicate, whichever is latter, through Demand Draft (after deducting DD Commission) payable at near by SBI branch for outstation agencies/ crossed cheque payable at SBI , Burla branch for local agencies.
- 14 Validity of the quotation should be for a period of minimum two months from the date of opening.

**(R.P.SHUKLA)**  
Executive Engineer  
Mahanadi Division

Copy to:

- 1 The Superintending Engineer, Hydrological Observations Circle, CWC, Bhubaneswar.
- 2 The Director, Software Management Directorate, CWC, 628, Sewa Bhawan (South), R.K.Puram, New Delhi :110066 along with a copy of this NIQ in PDF Format in CD for displaying them in CWC Web site please.
- 3 The Member, Local Purchase Committee for Mahanadi Division and Executive Engineer, Mahanadi Division ,CWC, Burla
- 4 The Member, Local Purchase committee for Mahanadi division and Sub Divisional Engineer, MMSD-II, Burla.
- 5 The Member, Local Purchase committee for Mahanadi division and Sub Divisional Engineer, UMSD, Raipur
- 6 Accounts Branch, Mahanadi Division, CWC, Burla.
- 7 Notice Board

ANNEXER

### **Specifications for Conductivity meter**

Table mode

Bridge Source : 100 Hz / 1 Khz automatically selected

Range : 0.200 millimhos in 5 ranges

Accuracy : +/- 1% upto 100 millimhos

+/- 2% upto 100 millimhos

Indication : 3 digit / 12mm LED display

Conductivity Cell : Cond. Cell of cell

Const Approx 1

Cell consumption : 0.9 to 1.1

Power – 230V 50 Hz

Weight 3.5 Kg approx.

Standard accessories :

1. Conductivity cell
2. Clamp / Stand
3. Instruction manual

**pdfMachine**

**A pdf writer that produces quality PDF files with ease!**

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.

Get yours now!



**GOVERNMENT OF INDIA  
CENTRAL WATER COMMISSION  
OFFICE OF THE EXECUTIVE ENGINEER  
MAHANADI DIVISION, DOCTOR'S COLONY,  
BURLA – 768017, SAMBALPUR (ORISSA)**  
Email: eemdcwcburla@yahoo.co.in

No. MD/HQ/Quotation-2/10-11/1061-61

Dated 19/02/2011

**NOTICE INVITING QUOTATION**

For and on behalf of the President of India, the Executive Engineer, Mahanadi division, Central Water Commission, Burla invites the sealed quotations for the supply of following items from the reputed firms as per the terms and conditions mentioned below **up to 3.30 P.M. on 4.3.2011** and the quotations will be opened on the same day at **4.00P.M.** in the presence of representatives of the firms if any.

Sl. No.	Name of the Item	Tentative Qty	Rate	Amount.
1	"U" Clamp 80x6mm	1000 Nos		
2	"D" Shackle 175X12mm	1000 Nos		

**TERMS AND CONDITIONS**

- 1 The sealed envelope containing the quotation should be super-scribed as **"Quotation for supply of "U"Clamp & D shackle"** and addressed to the Executive Engineer, Mahanadi Division, Central Water Commission, Doctor's Colony, Burla-Sambalpur – 768017.
- 2 All duties, taxes (except sales tax and octroi) and other levies payable by the supplier/contractor under the contract shall be included in the total price. Octroi exemption certificate, if necessary, will be issued by this office. The sales tax if any may be indicated separately in the quotation, as this will not be considered for comparison of quotations. .
- 3 The rate should be indicated in both figures and words. Corrections/ overwriting if any in the quotation shall be made by initialing, dating and re-writing.
- 4 The price quoted shall be inclusive of transportation and **FOR BURLA**. Any damage occurred during transit should be borne by the agency itself.
- 5 The purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which are properly signed; and conform to the terms and conditions and specifications.
- 6 Make and Model number of the item proposed to be supplied must be mentioned in the quotation along with any variations in specifications with respect to specifications mentioned in quotation, if any.
- 7 **TIN/TAN number of the firm must be mentioned on the quotation of the firm.**
- 8 **The delivery shall have to be made within 30 days from the date of issue of supply order.**
- 9 Normally, the lowest rates quoted will be accepted but the undersigned reserves the right to reject any or all the quotations without assigning any reasons.
- 10 Any dispute arising in this supply will be referred to Superintending Engineer, Hydrological Observation Circle, Central Water Commission, Bhubaneswar and his decision will be final and binding on both the parties.

- 11 Technical specifications and pamphlets may be submitted with the quotation.
- 12 The full and final payment will be made within 20 days after full supply or pre-receipted bills in triplicate, whichever is latter, through Demand Draft (after deducting DD Commission) payable at near by SBI branch for outstation agencies/ crossed cheque payable at SBI , Burla branch for local agencies.
- 13 Validity of the quotation should be for a period of minimum two months from the date of opening.

**(R.P.SHUKLA)**  
Executive Engineer  
Mahanadi Division

Copy to:

- 1 The Superintending Engineer, Hydrological Observations Circle, CWC, Bhubaneswar.
- 2 The Director, Software Management Directorate, CWC, 628, Sewa Bhawan (South), R.K.Puram, New Delhi :110066 along with a copy of this NIQ in PDF Format in CD for displaying them in CWC Web site please.
- 1 The Member, Local Purchase Committee for Mahanadi Division and Executive Engineer, Mahanadi Division ,CWC, Burla
- 2 The Member, Local Purchase committee for Mahanadi division and Sub Divisional Engineer, MMSD-II, Burla.
- 3 The Member, Local Purchase committee for Mahanadi division and Sub Divisional Engineer, UMSD, Raipur
- 4 Accounts Branch, Mahanadi Division, CWC, Burla.
- 5 Notice Board

**pdfMachine**

**A pdf writer that produces quality PDF files with ease!**

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.

Get yours now!



**GOVERNMENT OF INDIA  
CENTRAL WATER COMMISSION  
OFFICE OF THE EXECUTIVE ENGINEER  
MAHANADI DIVISION, DOCTOR'S COLONY,  
BURLA – 768017, SAMBALPUR (ORISSA)**  
Email: eemdcwcburla@yahoo.co.in

No. MD/HQ/Quotation-2/10-11/1068-74

Dated 19/02/2011

**NOTICE INVITING QUOTATION**

For and on behalf of the President of India, the Executive Engineer, Mahanadi Division, Central Water Commission, Burla invites the sealed quotations for the supply of following items from the reputed firms as per the terms and conditions mentioned below **up to 3.30 P.M. on 4.3.2011** and the quotations will be opened on the same day at **4.00P.M.** in the presence of representatives of the firms if any.

Sl. No.	Name of the Item	Tentative Qty	Rate	Amount.
1	Co- Axle Cable 50 Ohms	500 Meter		
2	Copper Wire 12 Gauge	500 Meter		

**TERMS AND CONDITIONS**

- 1 The sealed envelope containing the quotation should be super-scribed as **“Quotation for supply of Co-axle cable and copper wire”** and addressed to the Executive Engineer, Mahanadi Division, Central Water Commission, Doctor's Colony, Burla-Sambalpur – 768017.
- 2 All duties, taxes (except sales tax and octroi) and other levies payable by the supplier/contractor under the contract shall be included in the total price. Octroi exemption certificate, if necessary, will be issued by this office. The sales tax if any may be indicated separately in the quotation, as this will not be considered for comparison of quotations. .
- 3 The rate should be indicated in both figures and words. Corrections/ overwriting if any in the quotation shall be made by initialing, dating and re-writing.
- 4 The price quoted shall be inclusive of transportation and **FOR BURLA**. Any damage occurred during transit should be borne by the agency itself.
- 5 The purchaser will evaluate and compare the quotations determined to be substantially responsive i.e. which are properly signed; and conform to the terms and conditions and specifications.
- 6 Make and Model number of the item proposed to be supplied must be mentioned in the quotation along with any variations in specifications with respect to specifications mentioned in quotation, if any.
- 7 **TIN/TAN number of the firm must be mentioned on the quotation of the firm.**
- 8 **The delivery shall have to be made within 30 days from the date of issue of supply order.**
- 9 Normally, the lowest rates quoted will be accepted but the undersigned reserves the right to reject any or all the quotations without assigning any reasons.

- 10 Any dispute arising in this supply will be referred to Superintending Engineer, Hydrological Observation Circle, Central Water Commission, Bhubaneswar and his decision will be final and binding on both the parties.
- 11 Technical specifications and pamphlets may be submitted with the quotation.
- 12 The full and final payment will be made within 20 days after full supply or pre-receipted bills in triplicate, whichever is latter, through Demand Draft (after deducting DD Commission) payable at near by SBI branch for outstation agencies/ crossed cheque payable at SBI , Burla branch for local agencies.
- 13 Validity of the quotation should be for a period of minimum two months from the date of opening.

**(R.P.SHUKLA)**  
Executive Engineer  
Mahanadi Division

Copy to:

- 1 The Superintending Engineer, Hydrological Observations Circle, CWC, Bhubaneswar.
- 2 The Director, Software Management Directorate, CWC, 628, Sewa Bhawan (South), R.K.Puram, New Delhi :110066 along with a copy of this NIQ in PDF Format in CD for displaying them in CWC Web site please.
- 3 The Member, Local Purchase Committee for Mahanadi Division and Executive Engineer, Mahanadi Division ,CWC, Burla
  - 1 The Member, Local Purchase committee for Mahanadi division and Sub Divisional Engineer, MMSD-II, Burla.
  - 2 The Member, Local Purchase committee for Mahanadi division and Sub Divisional Engineer, UMSD, Raipur
  - 3 Accounts Branch, Mahanadi Division, CWC, Burla.
  - 4 Notice Board

**pdfMachine**

**A pdf writer that produces quality PDF files with ease!**

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.

Get yours now!

**pdfMachine**

**A pdf writer that produces quality PDF files with ease!**

Produce quality PDF files in seconds and preserve the integrity of your original documents. Compatible across nearly all Windows platforms, if you can print from a windows application you can use pdfMachine.

Get yours now!